KIM REYNOLDS, GOVERNOR CHRIS COURNOYER, LT. GOVERNOR LARRY JOHNSON, JR., DIRECTOR

Inspector County of Employment

Tattoo Establishment Inspection Report (Permanent)

Establishment Inspection Date:_____ Owner: Time: Address: City/State/Zip_____ Date of Re-Inspection: Phone Number: Permit No.:_____ STOP: Do not sign in this box until page 1 & 2 of the inspection form are completed. **Establishment Representative** Inspector Print: Signature: Phone #: Signature:

Key: **S** = Satisfactory **U** = Unsatisfactory **N/A** = Not Applicable

Per	Permit Requirements & Record Keeping					Sanitation and Infection Control (continued)							
s	υ	N/A			S	U	N/A						
			481-492.9(1)	Establishment Permit is current				481-492.4(7)	Refuse is stored in rigid containers with				
			481-492.9(1)	Establishment Permit is printed and					plastic liners and emptied each				
				posted in a conspicuous location					business day				
			481-492.10(1)	Each artist's permit is current				481-492.4(8)	All equipment is stored in closed cabinets				
			481-492.10(5)	Each artist's permit is posted in a					or containers				
				conspicuous location				481-492.4(10)	Food & drink consumption is not allowed in				
			481-492.9(5)	Records are retained for all tattoo clients.					the tattoo area				
				Includes client name, date of birth,				481-492.4(9)	Absence of smoking (142D), intoxicating				
				photocopy of identification, date of					beverages, and controlled substances				
				procedure, name of the artist performing				481-492.4(13)	No animals allowed except service animals				
				procedure(s), and signature of the client					or aquariums with fish in non-tattoo areas.				
			481-492.9(5)	Tattoo client records are maintained for	Tattoo Equipment								
				3 years									
			481-492.13(8)	Safety Data Sheets for all chemicals	S	U	N/A						
			481-492.13(9)	The most recent inspection report posted				481-492.5	All equipment is maintained in a clean and				
San	itat	ion an	d Infection (Control					sanitary condition.				
ì	ı	_						481-492.5(1)	Ink caps/cups are single-use				
S	U	N/A						481-492.5(6)	Sharps container is red with a biohazard				
			481-492.4(1)	Tables, chairs, and other equipment are					symbol, puncture-resistant, leak-proof,				
_		_		impervious, smooth, and easily cleanable	_	_	_		and closeable.				
			481-492.4(2)	Sink for handwashing supplied with				481-492.5(7)	All solutions are labeled				
				potable, hot & cold running water under				481-492.5(8)	Razors are single-patron use and disposable.				
				pressure, mixing type faucet in the tattoo					If electric razors or clippers are used they				
				room supplied with liquid soap and paper					are cleaned with a brush and fungicidal or				
_	_	_		towels or hand dryer.	_		_		tuberculocidal disinfectant spray				
			481-492.4(3)	Toilet facilities with handwashing				481-492.5(9)	Topical ointments are single-use				
_	_	_		sink available				481-492.6(2)	A privacy panel or barrier is available, is of				
			481-492.4(4)	Condition of the establishment is at least					sufficient height and width, and is				
				300 square feet, adequately lighted,	_		_		non-transparent				
_	_	_	404 400 4(5)	adequately ventilated				481-492.6(4)	Tattoo artist is wearing clean clothing and				
			481-492.4(5)	Floors are impervious, smooth,	_		_		latex, nitrile, chloroprene, or vinyl gloves				
_		_	404 403 4/6	and washable				481-492.5(3)	All items used during the tattoo process are				
			481-492.4(6)	Entire premises are clean and sanitary,				(4)(5)(6)(7)(8)	single-use				
vermin free, and in good repair CONTINUED ON NEXT PAGE								UED ON NEXT PAGE					

May 2025 Page 1 of 2

Tattoo Equipment (continued)					Procedures (continued)					
The remaining checklist items under <u>Tattoo Equipment (continued)</u> are						U	N/A			
				he tattoo process are single-use. 641-22.5(1)				481-492.6(3)	Tattoo artist uses proper hand washing and drying procedures	
			481- 492.11(2)d	All tubes, tips, and grips that are not sterile, not single patron use, and not disposable are being physically cleaned with a detergent and sterilized				481-492.6(5)	Barrier films covering clips, cords, squeeze bottles, seat adjustment controls, power control dials/buttons, work lamps, and any other objects gloved	
_			481-492.5(3)	Steam sterilization is at 250 degrees F for 15 Minutes at a minimum of 15 psi				481-492.6(6)	hands may come in contact with. Skin is cleaned with soap and	
			481-492.5(3) 481-492.5(4)	Dry-heat sterilization is at 350 degrees F for one hour Instruments for sterilization are in closed				481-492.6(7)	paper towels Skin prepped with 70% alcohol or antiseptic or antimicrobial	
			.,	pouches and sterilized on-site and dated, bags replaced and re-dated for 30 days				481-492.6(8)	Tattooing on non-infected, non-irritated, or abnormal skin	
			481-492.5(5)	Sterilizers monitored monthly for spores of Bacillus subtilis, records kept for 3 years				481-492.6(9)(a)	Adequate dressing applied after the tattoo completion	
□ Dre			481-492.5(5)	Written procedures in place for positive spore test				481-492.6(9)(b)	Printed instructions are provided to the person tattooed regarding tattoo care during the healing process	
<mark>If ar</mark>	ny pro			the inspector will verify these items are addressed rating Procedures (SOPs)				481-492.6(9)	Clean the machine head and spray the work area with an acceptable disinfectant during the clean-up procedure after the	
			481-492.6(1)	Printed Standard Operating Procedures (SOPs) are available. Includes processes for set up and tear down.				481-492.5(6)	tattoo is finished A written plan for sharps disposal is maintained in the establishment	

Enforcement (481-492.16)
Use additional sheets if necessary

1) Which section(s) are there violations of the Iowa Code or Iowa Administrative Code and in which manner did the owner or operator fail to comply?

2) What are the steps and timeline required for correcting the violation?

Focuses on hygiene procedures and cross-contamination controls

\$ Inspection Fee Due On:	/	/