

KIM REYNOLDS, GOVERNOR ADAM GREGG, LT. GOVERNOR LARRY JOHNSON, JR., DIRECTOR

Tattoo Establishment Inspection Report

Temporary - Booth

Establishment	Inspection			
Name/Sponsor:	Date:	Time:		
Address:	Artist(s) & Pe	rmit #(s):		
City/State/Zip				
Phone Number:				
		· · · · · ·	<u> </u>	
STOP: <u>Do not sign in this box until page</u>	<u>s 1 & 2 of the</u>	•	<u>mpleted.</u>	
Establishment Representative:		Inspector:		

Print:

Print:_____

Signature:_____

Signature:

Phone #:_____

Key: S = Satisfactory U = Unsatisfactory N/A = Not Applicable

Permit Requirements & Record Keeping

υ	N/A		
		641-22.10(1)	Each artist's permit is current
		641-22.10(6)	Each artist's permit is printed and posted in a conspicuous location
		641-22.9(5)	Records for all clients shall be maintained for 3 years and include client name, date of birth, photo- copy of identification, date of procedure, name of the artist performing procedure(s) and client's signature
		641-22.14(8)	Safety Data Sheets for all chemicals, set up and tear down process, and procedures of cross- contamination control (SOPs)
		641-22.14(9)	Most recent inspection report shall be posted in a location readily visible to the public
			Image: Constraint of the second state of the second sta

Sanitation and Infection Control

s	U	N/A		
			641-22.4(1)	Tables, chairs, and other
				equipment are impervious,
				smooth, and easily cleanable
			641-22.4(7)	Refuse is stored in rigid containers
				with plastic liners and emptied
				each business day
			641-22.4(9) <i>a</i>	Food & drink consumption is not
				allowed in the tattoo area
			641-22.4(9)	Absence of smoking, intoxicating
				beverages, and
				controlled substances

<u>Procedure</u>

If not observed, the inspector will verify these items are addressed and included in the Standard Operating Procedure manual provided by the booth

	0000			
S	U	N/A		
			641-22.6(6)	Skin is cleaned with soap and
				paper towels
			641-22.6(7)	Skin prepped with 70% alcohol,
				antiseptic, or antimicrobial
			641-22.6(8)	Tattooing on non-infected, non-
				irritated, or abnormal skin
			641-22.6(9) <i>a</i>	Adequate dressing applied after
				the tattoo completion
			641-22.6(9) <i>b</i>	Printed instructions are provided
				to the person tattooed regarding
				tattoo care during the healing
_		_	<u>C 41, 00, 0(0)</u>	process
Ш			641-22.6(9)	Clean the machine head and spray the work area with an acceptable
				surface disinfectant during the
				clean-up procedure after the
				tattoo is finished
	п	п	641-22.6(3)	Tattoo artist uses proper hand
	-			washing and drying procedures
			641-22.5(9)	Written plan for sharps disposal
Bo	oth			
	<u> </u>			
s	U	N/A		
			641-22.6(2)	Privacy panel or barrier is available
			641-22.11(3) <i>b</i>	The booth is a minimum of 80
_	_	_		square feet
			641-22.4(6)	Booth is clean, sanitary, vermin
				free condition, and in good repair
				0 .

<u>Bo</u>	oth	(Con	<u>itinued)</u>		S	U	N/A		
S	υ	N/A						641-22.11(3)	Tattoo procedure area is properly cleaned and sanitized
			641-22.11(3) <i>f</i>	Floors are smooth and impervious				641-22.5(135)	
				or covered with an impermeable barrier				641-22.6(4)	clean and sanitary condition Tattoo artist is wearing clean
			641-22.5(1)	Cups to hold ink or dye shall be					clothing and latex, nitrile,
				for single patron use, disposed of after use				641-22.5(1)	chloroprene, or vinyl gloves All items used during the tattoo
			641-22.5(10)	All solutions are clearly labeled					process are prepackaged, single-
			641-22.5(12)	Topical ointments are single-use					use, sterilized equipment
			641-22.5(9)	Sharps container is red with a	The	rema	aining	checklist iter	ms under <u>Booth</u> are N/A if <i>all</i>
_	_			biohazard symbol, puncture-	item	s us	ed dui	ring the tatto	o process are prepackaged,
					cind	10 110	a ata	rilized equip	mont
				resistant leak-proot	Sing	ie-us	se, sie	nuzeu equipi	nent
				resistant, leak-proof, and closeable			\Box	<u>rilized equipr</u> 641-22.11(3)	
п			641-22 5(11)	and closeable					All tubes, tips and grips used for
			641-22.5(11)	and closeable Razors are single-patron use and					All tubes, tips and grips used for the tattoo procedure that are not
			641-22.5(11)	and closeable Razors are single-patron use and disposable. If electric razors or					All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly
			641-22.5(11)	and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned					All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or
			641-22.5(11)	and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or					All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event.
			641-22.5(11)	and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords,					All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords, squeeze bottles, seat adjustment				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test performed on the sterilization
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords,				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test performed on the sterilization equipment must be dated 30 days
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords, squeeze bottles, seat adjustment				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test performed on the sterilization equipment must be dated 30 days or less prior to the date of
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords, squeeze bottles, seat adjustment controls, power control dials and buttons, work lamps, and any				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test performed on the sterilization equipment must be dated 30 days
				and closeable Razors are single-patron use and disposable. If electric razors or clippers are used they are cleaned with a brush and fungicidal or tuberculocidal disinfectant spray Barrier films covering clips, cords, squeeze bottles, seat adjustment controls, power control dials and				641-22.11(3)	All tubes, tips and grips used for the tattoo procedure that are not single-use must be properly sterilized and dated 30 days or less prior to the date of the event. Evidence of a spore test performed on the sterilization equipment must be dated 30 days or less prior to the date of

Enforcement (641-22.16)

1) Which section(s) are there violations of the Iowa Code or Iowa Administrative Code and in which manner did the owner or operator fail to comply?

2) What are the steps and timeline required for correcting the violation?

IAC 641-22.14(9)

<u>\$_____</u>Inspection Fee Due On:

The inspected establishment shall post the most recent inspection report at the establishment in a location readily visible to the public

____/